LISTING OF CLAIMS

1. (Currently Amended) A computer implemented method for rearranging a computer program comprising:

organizing the computer program logically into a plurality of blocks;

determining a critical section of the computer program;

constructing a dependency graph based on the organization of the <u>plurality of blocks in</u> the computer program;

determining a critical section included in the dependency graph;

<u>detecting recognizing</u> a portion of the <u>plurality of blocks in the</u> computer program that could be executed outside of the critical section; and

inserting a plurality of dependency relationships <u>based on the dependency graph</u> between the plurality of blocks to cause execution of the <u>detected recognized</u> portion of the <u>plurality of blocks in the</u> computer program outside of the critical section; and

rearranging the detected portion of the plurality of blocks to outside the critical section that were inside the critical section based on the inserted plurality of dependency relationships.

- 2. (Currently Amended) The method of claim 1, wherein the plurality of blocks a block includes a computer program instructions.
- 3. (Currently Amended) The method of claim 1 further comprises comprising organizing the <u>plurality of blocks in the</u> computer program based on a node and a super block, wherein the node includes a plurality of blocks and the super block includes a plurality of nodes.
- 4. (Currently Amended) The method of claim 1, wherein the critical section <u>included in the</u> <u>dependency graph</u> of the computer program accesses shared resources.
- 5. (Cancelled)

Application No.: 10/582,204 Examiner: WEI, Zheng Attorney Docket No.: 42P23159 -2- Art Unit: 2192

- 6. (Currently Amended) The method of claim 1 5 further comprises comprising adding a termination point to the critical section if a portion of the critical section is outside of the dependency graph.
- 7. (Currently Amended) The method of claim 1 further comprises comprising inserting an additional dependency relationship based on a direct dependency, an indirect dependency, or a shortest life-time dependency.
- 8. (Currently Amended) The method of claim 1 further <u>comprises</u> <u>comprising</u> scheduling to execute <u>the plurality of blocks in</u> the computer program based on the dependency graph, <u>after</u> <u>rearranging the detected portion of the plurality of blocks to outside the critical section.</u>
- 9. (Currently Amended) A computer implemented system for rearranging a computer program comprising:
- a computer program organizer, wherein the organizer organizes to organize the computer program <u>logically</u> into a plurality of blocks;
 - a critical section determination module;
- a dependency graph construction module, wherein to construct a dependency graph is constructed based on the plurality of blocks organization of the computer program; and
- a critical section determination module to determine a critical section included in the dependency graph;
- a detection module to detect a portion of the computer program recognized outside of the critical section that could be executed by the processor; and
- a dependency relationships inserter, wherein the to insert a dependency relationship is inserted between the plurality of blocks to cause execution of the detected recognized portion of the computer program outside of a critical section.
- 10. (Cancelled)
- 11. (Currently Amended) The system of claim 9, wherein the critical section <u>included in the</u> <u>dependency graph</u> of the computer program accesses shared resources.

Application No.: 10/582,204 Examiner: WEI, Zheng Attorney Docket No.: 42P23159 -3- Art Unit: 2192

- 12. (Currently Amended) The system of claim 11, wherein the dependency relationships inserter inserts a termination point to the critical section <u>blocks</u> if a portion of the critical section is outside of the dependency graph.
- 13. (Currently Amended) A system for processing a plurality of network packets comprising: a network processor;
- a network interface to control the transmission between the network processor and a network;
 - a shared resource accessible to the plurality of network packets;
 - a network processor program to process the plurality of network packets;
- a dependency graph constructor to construct a dependency graph based on the network processor program; and
- a dependency relationship inserter to optimize the network processor program by inserting a plurality of dependency relationships <u>based on the dependency graph</u> to rearrange the order in which the network processor program is executed.
- 14. (Currently Amended) The system in claim 13, wherein the dependency graph constructor further determines a critical section of the plurality of network packets and includes the to the extent a critical section in is part of the dependency graph.
- 15. (Original) The system in claim 13, wherein the dependency relationship inserter module inserts additional dependency relationships based on a direct dependency, an indirect dependency, or a shortest life-time dependency.
- 16. (Currently Amended) A <u>non-transitory computer-readable storage medium machine-accessible medium</u> that provides instructions that, when executed by a processor, causes the processor to:

organize a computer program <u>logically into</u> based on a plurality of blocks; determine a critical section of the computer program;

construct a dependency graph based on the organization of the <u>plurality of blocks in the</u> computer program;

determine a critical section associated with the dependency graph;

<u>detect</u> recognize a portion of the <u>plurality of blocks in the</u> computer program that could be executed outside of the critical section; and

insert a plurality of dependency relationships between the plurality of blocks to cause execution of the <u>detected</u> recognized portion of the <u>plurality of blocks in the</u> computer program outside of the critical section; <u>and</u>

rearrange the detected portion of the plurality of blocks to outside the critical section that were inside the critical section based on the inserted plurality of dependency relationships.

- 17. (Currently Amended) The <u>non-transitory computer-readable storage medium machine-accessible medium</u> of <u>method claim</u> 16, wherein the critical section <u>included in the dependency</u> graph of the computer program accesses shared resources.
- 18. (Currently Amended) The <u>non-transitory computer-readable storage medium machine-accessible medium</u> of <u>method claim</u> 16 further <u>comprises inserting comprising instructions that insert</u> a termination point to the critical section if a portion of the critical section is outside of the computer program.
- 19. (Currently Amended) The <u>non-transitory computer-readable storage medium machine-accessible medium</u> of <u>method claim</u> 16 further <u>comprises inserting comprising instructions that insert</u> dependency relationships based on a direct dependency, an indirect dependency, or a shortest life-time dependency.